

2020


Vehicle DC compressor refrigerator


Technology data





河北南风汽车设备（集团）有限公司


Hebei Nanfeng Automobile Equipment Co., Ltd


| Picture | Model | DC-25T |
|---|-----------------------------|--|
|  | Net volume | 24L |
| | Temperature | -18~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | DC30W |
| | Voltage | DC: 12V/24V (automatic conversion) |
| | Product size | width 480 x depth 330 x height 425mm |
| | Packing size | width 535 x depth 385 x height 485mm |
| | Weight | Net weight 10.5kg/ Gross weight 14.5kg |

| Picture | Model | DC-35T |
|---|-----------------------------|--|
|  | Net volume | 33 L |
| | Temperature | -18~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | DC30W |
| | Voltage | DC: 12V/24V (automatic conversion) |
| | Product size | width 540x depth 380x height 455mm |
| | Packing size | width 595 x depth 435 x height 515mm |
| | weight | Net weight 12kg/Gross weight 16.5kg |


| Picture | Model | DC-23DR |
|---|-----------------------------|--|
|  | Net volume | 23L |
| | Temperature | -5~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | DC40W |
| | Voltage | DC: 12V/24V (automatic conversion) |
| | Product size | width 440 x depth 715 x height 215mm |
| | Packing size | width 515 x depth 770 x height 280mm |
| | weight | Net weight 16kg/Gross weight 21kg |


| Picture | Model | DC-40DR |
|---|-----------------------------|--|
|  | Net volume | 40L |
| | Temperature | -5~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | DC40W |
| | Voltage | DC: 12V/24V (automatic conversion) |
| | Product size | width 590x depth 836x height 300mm |
| | Packing size | width 665x depth 890x height 390mm |
| | weight | Net weight 29kg/ Gross weight 36kg |


| Picture | Model | DC-60F |
|---|-----------------------------|---|
|  | Net volume | 60L |
| | Temperature | -18~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | 40W |
| | Voltage | DC: 12V/24V (automatic conversion) AC: 220V/50Hz |
| | Product size | width 890 x depth 455 x height 458mm |
| | Packing size | width 850x depth 510x height 507mm |
| | weight | Net weight 25kg/Gross weight 29.5kg |


| Picture | Model | DC-62FD |
|---|-----------------------------|---|
|  | Net volume | 21 liters of freezer, 39 liters of refrigerator |
| | Temperature | 21 liters of freezer, 39 liters of refrigerator |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | 55W |
| | Voltage | DC: 12V/24V (automatic conversion) AC: 220V/50Hz |
| | Product size | width 945x depth 455x height 488mm |
| | Packing size | width 900x depth 510x height 540mm |
| | weight | Net weight 28kg/Gross weight 32kg |





| Picture | Model | DC-70DR |
|---|-----------------------------|---|
|  | Net volume | 63L |
| | Temperature | -18~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | 40W |
| | Voltage | DC: 12V/24V (automatic conversion) AC: 220V/50Hz |
| | Product size | width 890 x depth 455 x height 496mm |
| | Packing size | width 850x depth 515x height 560mm |
| | weight | Net weight 32kg/ Gross weight 36kg |


| Picture | Model | DC-40/DC-50 |
|---|-----------------------------|--|
|  | Net volume | DC-40: freezer 6 liters, freezer 34 liters DC-50: freezer 6 liters, freezer 44 liters |
| | Temperature | -12℃ freezing, 0~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | 45W |
| | Voltage | DC: 12V/24V (automatic conversion) |
| | Product size | DC-40: width446xdepth348xheight 560mm DC-50: width446xdepth510 x height 563mm |
| | Packing size | DC-40: width 595xdepth520xheight 630mm DC-50: width 595xdepth520xheight 630mm |
| | weight | Net weight 15kg/16kg Gross weight 18kg/19kg |


| Picture | Model | DC-10F |
|---|-----------------------------|--|
|  | Net volume | 10 L |
| | Temperature | -18~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | 30W |
| | Voltage | DC: 12V/24V (automatic conversion) |
| | Product size | width 459x depth 210x height 320mm |
| | Packing size | width 515 x depth 275 x height 385mm |
| | weight | Net weight 8kg/ Gross weight 9.8kg |


| Picture | Model | DC-15F |
|---|-----------------------------|--|
|  | Net volume | 14L |
| | Temperature | -18~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | 35W |
| | Voltage | DC: 12V/24V (automatic conversion) |
| | Product size | width 532 x depth 230 x height 334mm |
| | Packing size | width 600x depth 295x height 395mm |
| | weight | Net weight 9kg/ Gross weight 11.5kg |


| Picture | Model | DC-18F |
|---|-----------------------------|--|
|  | Net volume | 17 L |
| | Temperature | -18~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | 35W |
| | Voltage | DC: 12V/24V (automatic conversion) |
| | Product size | width 532x depth 230x height 384mm |
| | Packing size | width 600 x depth 295 x height 445mm |
| | weight | Net weight 9.5kg/ Gross weight 12kg |

| Picture | Model | DC-26F/DC-32F/DC-42F |
|---|-----------------------------|---|
|  | Net volume | 26L/32L/42L |
| | Temperature | -18~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | environmentally friendly material cyclopentane |
| | Power | 45W |
| | Voltage | DC: 12V/24V (automatic conversion) AC: 220V/50Hz |
| | Product size | 26F: width 705x depth 350x height 404mm 32F: width 705x depth 350x height 449mm 42F: width 705 x depth 350 x height 544mm |
| | Packing size | 26F: width 640 x depth 405 x height 460mm 32F: width 640 x depth 405 x height 505mm 42F: width 640 x depth 405 x height 600mm |
| | weight | Net weight 16.2kg/17kg/18.3kg Gross weight 18.2kg/19kg/21kg |

| Picture | Model | DC-15KC |
|---|-----------------------------|--|
|  | Net volume | 15L |
| | Temperature | -18~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | DC30W |
| | Voltage | DC: 12V/24V (automatic conversion) |
| | Product size | width 570x depth 330x height 233mm |
| | Packing size | width 630x depth 390x height 290mm |
| | weight | Net weight 9kg/ Gross weight 11.8kg |

| Picture | Model | DC-20KD |
|---|------------------------------------|--|
|  | Function | independent temperature control for freezing and refrigeration |
| | Net volume | 20L |
| | Temperature | -18~10℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | DC30W |
| | Voltage | DC: 12V/24V (automatic conversion) |
| | Product size | width 570x depth 330x height 283mm |
| | Packing size | width 630x depth 390x height 340mm |
| weight | Net weight 10kg/ Gross weight 13kg | |

| Picture | Model | DC-15KH |
|---|-----------------------------|--|
|  | Net volume | 15 L |
| | Temperature | -18~55℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Heating principle | heating wire |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | 30W for cooling/45W for heating |
| | Voltage | DC: 12V/24V (automatic conversion) |
| | Product size | width 570x depth 330x height 233mm |
| | Packing size | width 630x depth 390x height 290mm |
| | weight | Net weight 9kg/ Gross weight 11.8kg |

| Picture | Model | BF-8C/BF-8H |
|---|-----------------------------------|--|
|  | Function | Single cooling/Warm and cold |
| | Net volume | 8 L |
| | Temperature | -18~10℃/-18~55℃ |
| | Freezing Refrigeration type | DC compressor refrigeration |
| | Heating principle | Heating wire heating |
| | Foam layer | Environmentally friendly material cyclopentane |
| | Power | DC30W |
| | Voltage | Cooling DC30W, Heating DC45W |
| | Product size | width 493 x depth 248 x height 220mm |
| | Packing size | width 550 x depth 305 x height 280mm |
| weight | Net weight 9kg/ Gross weight 11kg | |